

FLORIDA DEPARTMENT OF TRANSPORTATION  
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 58 SANTA ROSA

SITE ====	SITE TYPE ====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
0003		EAST SPENCER FIELD RD - 0.129 M N OF SR10 (US 90)	N	0	S	0	11000 C	9.0	56.0F	8.6F
0005		SR 4 - 0.400 M E OF SR 89 (N MAGNOLIA ST), JAY	E	0	W	0	2700 C	9.5	56.0F	17.9F
0007		CR 182 (ALLENTOWN RD) - 330' E OF SR 89	E	0	W	0	450 C	9.5	56.0F	8.6F
0018		SR 10 (US90) - 0.400 M E OF SR 87 (SOUTH)	E	3300	W	3300	6600 C	9.0	56.0F	9.8A
0019		SR 10 (US90) - 0.550 M W OF SR 87 (SOUTH)	E	7700	W	7400	15100 C	9.0	56.0F	8.7A
0020		SR 87 - 0.250 M S OF SR 10 (US90)	N	5900	S	6400	12300 C	9.0	56.0F	12.0A
0027		SR10 (US90) - 230' E OF BRIDGE (BASS HOLE COVE)	E	20500	W	20000	40500 C	9.0	56.0F	4.1A
0028		SR 30 (US98) - 1.200 M E OF SR 399 (E OF GULF BR	E	22500	W	22500	45000 C	9.0	58.1F	4.6F
0029		SR 87 - 550' N OF WEST LEG TO SR 30 (US98)	N	9700	S	10000	19700 C	9.0	58.1F	5.7P
0030		SR 30 (US 98) - 1500' W OF SR 281 (GARCON POINT	E	21000	W	21500	42500 C	9.0	58.1F	4.6F
0031		SR 30 (US 98) - 0.350 M E OF SR 281 (GARCON POIN	E	20500	W	21000	41500 C	9.0	58.1F	4.6F
0032		SR 87 - 80' N OF VONNIE TOLBERT RD		0E		0E	11500 F	9.5	56.0F	12.2F
0033		SR 89 - 300' S OF ESCAMBIA AVE	N	1400	S	1400	2800 C	9.5	56.0F	10.1A
0034		SR 30 (US98) - 960' W OF CR 191A (ORIOLE BEACH R	E	23000	W	23500	46500 C	9.0	58.1F	4.6A
0035		SR 281 (GARCON POINT RD) - S END OF GARCON BAY B	N	2800	S	2900	5700 C	9.0	58.1F	9.2A
0042		SR 4 - 240' E OF CR 399 (TRACTOR TRAIL)	E	0	W	0	2300 C	9.5	56.0F	17.9F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;  
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION  
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 58 SANTA ROSA

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
0061		SR 30 (US98) - 480' E OF NAVARRE SCHOOL RD	E 21000	W 21500	42500 C	9.0	58.1F	4.6P
0062		SR 10 (US90) - 0.350 M E OF CR 89 (WARD BASIN RD	E 7900	W 7500	15400 C	9.0	56.0F	7.6A
0072		SR 4 - 0.798 M E OF CR 191	E 0	W 0	1700 C	9.5	56.0F	17.9F
0073		SR 89 - 410' N OF OAK LEIGH DRIVE	N 0	S 0	2300 C	9.5	56.0F	10.9F
0083		SR 87 - 0.299 M SW OF SR 4	N 1100	S 1100	2200 C	9.5	56.0F	13.9A
0096		CR 191 (MUNSON HWY) - 500' N OF SR 4	N 200	S 200	400 C	9.5	56.0F	16.5A
0097		CR 191 - 440' S OF SR 4	N 400	S 400	800 C	9.5	56.0F	12.2A
0103		NORRIS RD - 325' W OF W SPENCER FIELD RD	E 1900	W 2000	3900 C	9.0	56.0F	3.8A
0104		W SPENCER FIELD RD - 400' N OF US 90	N 4900	S 5100	10000 C	9.0	56.0F	2.9A
0105		SR 10 (US90) - 0.181 M E OF CR 197B (W SPENCER F	E 17500	W 16500	34000 C	9.0	56.0F	4.5F
0109		SR 87 - 0.340 M N OF SR 4	N 1200	S 1200	2400 C	9.5	56.0F	15.3A
0110		SR 4 - 530' NW OF SR 87	E 650	W 650	1300 C	9.5	56.0F	19.2A
0114		SR 87 - 0.150 M N OF SR 89	N 5400	S 5700	11100 C	9.0	56.0F	14.6F
0115		CR197 - 0.326 M N OF CR184	N 0	S 0	8700 C	9.0	56.0F	8.6F
0119		SR 87 - 0.232 M N OF CR 87A (LANGLEY ST)	N 2300	S 2400	4700 C	9.0	56.0F	9.9A
0121		SR 89 - 400' NW OF SR 87	N 1400	S 1400	2800 C	9.0	56.0F	10.2A

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;  
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION  
2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 58      SANTA ROSA

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
0128		SR 10 (US90) - 0.300 M W OF SR 281 (AVALON BLVD)	E	16000	W	15500	31500 C	9.0	56.0F	4.6A
0143		SR 30 (US98) - 240' W OF DANIEL ST	E	29000	W	30000	59000 C	9.0	58.1F	4.6F
0145		CR 30A (FAIRPOINT DR) - 0.300 M W OF SR 30 (US 9	E	0	W	0	9800 C	9.0	58.1F	3.7F
0148		CR197 - 280' S OF CR182	N	0	S	0	4000 C	9.5	56.0F	8.6F
0149		CR197 - 160' N OF CR182	N	0	S	0	3500 C	9.5	56.0F	8.6F
0152		CR 197 (CHUMUCKLA HWY) - 200' W OF SR 89	N	0	S	0	900 C	9.5	56.0F	8.6F
0156		CR 191A (ORIOLE BEACH RD) - 400' S OF SR30 (US98	N	2400	S	2600	5000 C	9.0	58.1F	8.6F
0171		CR 197A (S COMMERCE ST) - 120' S OF SCHOOL ST	N	0	S	0	1900 C	9.5	56.0F	8.6F
0186		CR89 (WARD BASIN RD) - 775' S OF SR 10 (US90)	N	0	S	0	5000 C	9.0	56.0F	8.6F
0194		SR89 - 300' S OF AL-FL STATE LINE	N	600	S	600	1200 C	9.5	56.0F	11.5A
0210		CR 30A (SHORELINE DR) - 0.250 M W OF SR 30 (US98	E	0	W	0	6000 C	9.0	58.1F	3.7F
0214		CR 197A (WOODBINE RD) - 0.194 MILE N OF SR10 (US	N	9400	S	9400	18800 C	9.0	56.0F	3.4A
0215		SR 281 (AVALON BLVD) - 0.350 M S OF SR 10 (US90)	N	9900	S	9700	19600 C	9.0	56.0F	8.6F
0217		CR 191 (GARCON PT RD) - 330' S OF CR 191C (ROBIN	N	3200	S	2800	6000 C	9.0	56.0F	4.2A
0218		CR 197A - 540' S OF CR 184	N	0	S	0	14500 C	9.0	56.0F	8.6F
0219		CR 184 - 340' W OF CR 197/197A	E	0	W	0	8600 C	9.0	56.0F	8.6F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;  
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION  
2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 58      SANTA ROSA

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
0220		CR 182 - 450' W OF SR 87	E	0	W	0	700 C	9.5	56.0F	8.6F
0221		CR197A (BELL LN) - 530' S OF SR10 (US90)	N	0	S	0	8000 C	9.0	56.0F	8.6F
0222		CR 182 - 170' W OF SR 89	E	0	W	0	850 C	9.5	56.0F	8.6F
0225		CR 197 (CHUMUCKLA HWY) - 0.130 M S OF SR 10 (US9	N	0	S	0	2700 C	9.0	56.0F	8.6F
0226		CR 178 - 510' W OF SR 87	E	0	W	0	500 C	9.5	56.0F	8.6F
0227		CR 178 - 0.128 M W OF SR 89	E	0	W	0	450 C	9.5	56.0F	8.6F
0230		CR 399 - 190' S OF SR 89	N	0	S	0	150 C	9.5	56.0F	8.6F
0231		CR 399 - 280' S OF SR 4	N	0	S	0	550 C	9.5	56.0F	8.6F
0233		CR 197 (CHUMUCKLA HWY) - 0.469 M N OF SR 10 (US9	N	5900	S	6200	12100 C	9.0	56.0F	3.1A
0234		CR 399 - N END OF NAVARRE BEACH BRIDGE	N	0	S	0	10000 C	9.0	58.1F	8.6F
0235		SR 399 - N END OF BOB SIKES BRIDGE	N	11000	S	11000	22000 C	9.0	58.1F	3.7A
0236		SR 30 (US98) - 320' E OF SR 399 (NAVARRE BEACH B	E	21000	W	21000	42000 C	9.0	58.1F	4.6F
0237		CR 399 - 475' N OF SR 30 (US98)	N	2900	S	2800	5700 C	9.0	58.1F	5.6A
0238		CR 399 (E BAY BLVD) - 0.250 M W OF SR 87 (N OF		0E		0E	11500 F	9.0	56.0F	3.7F
0239		CR 164 (HARVEST RD) - 450' E OF CR 197 (CHUMUCKL	E	0	W	0	250 C	9.5	56.0F	8.6F
0240		CR164 - 390' E OF SR 89	E	0	W	0	450 C	9.5	56.0F	8.6F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;  
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION  
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 58 SANTA ROSA

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
0242		NEAL KENNNINGTON RD - 380' E OF SR 87	E	0	W	0	500 C	9.5	56.0F	8.6F
0243		CR 281 (MONTECEITO BLVD) - 140' S OF CR 191A (MU	N	0	S	0	1800 C	9.0	56.0F	8.6F
0244		SUNSET BLVD - 300' N OF SHORELINE DR	N	0	S	0	2800 C	9.0	58.1F	8.6F
0246		CR184 (HICKORY HAMMOCK RD) - 160' E OF CR89	E	0	W	0	3400 C	9.0	56.0F	8.6F
0247		CR 87A (WHITING EAST GATE) - 400' N OF CR 191	N	700	S	600	1300 C	9.0	56.0F	6.4A
0248		CR 87A (WHITING FIELD ENT) - 100' W OF CLEAR CRE	N	0	S	0	5800 C	9.0	56.0F	8.6F
0251	T	SR-10/US-90,0.9 MI W OKALOOSA CO LN,SANTA ROSA C	E	1226	W	1208	2434 C	9.5	55.1A	11.9A
0253		HAMILTON BRIDGE RD - 410' W OF SR 89	E	0	W	0	4800 C	9.0	56.0F	8.6F
0261	T	SR-30/US-98,267' E PENSACOLA BAY BR,SANTA ROSA C	E	28321	W	28514	56835 C	9.0	55.3P	3.6P
0262		US-98 - 0.250 MI E OF ZOO ENTRANCE	E	17000	W	16500	33500 C	9.0	58.1F	4.6F
0263		US-98 - 175' W OF MAR MAR LN	E	20500	W	21000	41500 C	9.0	58.1F	4.6F
0264		SR-87 - 0.100 MI S OF EAST RIVER BRIDGE	N	6800	S	6900	13700 C	9.0	56.0F	12.2F
0265		SR-89 - 500' N OF CR-182 (ALLENTOWN / CENTRAL SC	N	0	S	0	2100 C	9.5	56.0F	10.9F
0266		SR-4 -350' E OFSR-89 SOUTH (W OF SR 89 NORTH)	E	0	W	0	4700 C	9.5	56.0F	16.3F
0270		SR 281 (AVALON BLVD) - 0.350 M N OF I-10 OVERPAS	N	11000	S	11000	22000 C	9.0	56.0F	12.0F
0271		SR 87 - 525' S OF SR 8 (I-10)	N	6400	S	6800	13200 C	9.0	56.0F	12.4A

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;  
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION  
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 58 SANTA ROSA

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
0276		SR 281 (AVALON BLVD) - 0.400 M S OF C191A (MULAT	N 8900	S 9100	18000 C	9.0	56.0F	8.6F
0277		CR 281B (CYANAMID RD) - 300' E OF CR 191A (MULAT	N 0	S 0	5500 C	9.0	56.0F	8.6F
0279		CR 191 (GARCON POINT RD) - 0.600 M S OF SR 8 (I-	N 0	S 0	1900 C	9.5	56.0F	8.6F
0280		SR 281 - 0.600 M S OF I-10 OVERPASS (N OF BAYOU)	N 0	S 0	7200 C	9.5	56.0F	8.6F
0281		C89 (WARD BASIN RD) - 0.700 M N OF I-10 OVERPASS	N 0	S 0	4100 C	9.0	56.0F	8.6F
0282		C89 (WARD BASIN RD) - 0.350 M S OF I-10 OVERPASS	N 0	S 0	3700 C	9.0	56.0F	8.6F
0283		SR 30 (US98) - 680' E OF CR 191C (NANTAHALA BEAC	E 18000	W 17500	35500 C	9.0	58.1F	4.6F
0285	T	SR-89,1270' SOUTH OF CR-164,SANTA ROSA CO.	N 822	S 847	1669 C	9.5	52.9A	11.0A
0286		DANIEL DR - 350' S OF US 98	N 0	S 0	5500 C	9.0	56.0F	8.6F
0330	T	SR-4,0.7 MI WEST OF CR-191,SANTA ROSA CO.	E 741	W 716	1457 C	9.5	56.0A	18.5A
0398	T	SR-87, 180' NORTH OF BASS LANE, MILTON	N 6844	S 7140	13984 C	9.0	60.1A	6.2A
1501		CR 191 - 0.820 MILE E OF SR 87 (MILTON C/L)	N 2100	S 1900	4000 C	9.0	56.0F	6.8A
1502		SR10 (US90) - 0.250 M E OF GLOVER LN	E 17500	W 17000	34500 C	9.0	56.0F	4.7A
1506		SR 89 (DOGWOOD DR) - 0.174 M N OF CR 191 (MAGNOL	N 7600	S 8100	15700 C	9.0	56.0F	4.5A
1507		SR 10 (US90) - 700' E OF BLACKWATER RIVER BRIDGE	E 10000	W 9900	19900 C	9.0	56.0F	5.6A
1508		SR 87 - 330' N OF RIDGE CREST DR (N OF SCHOOL)	N 5600	S 5700	11300 C	9.0	56.0F	7.5A

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;  
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION  
2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 58      SANTA ROSA

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
1510		CR 191 (GARCON PT RD) - 125' N OF CR 191C (ROBIN	N      3200	S      2800	6000 C	9.0	56.0F	4.9A
1511		CR 191A (OLD BAGDAD HWY) - 250' W OF L&N R/R	E      1300	W      1300	2600 C	9.0	56.0F	4.9A
1512		CR 191 (BAGDAD ST) - 180' S OF THOMPSON ST	N      0	S      0	6300 C	9.0	56.0F	8.6F
1514		CR-191 (WILLARD NORRIS RD) - 0.200 MI E OF COUNT	N      0	S      0	8800 C	9.0	56.0F	8.6F
2001		SR 8 (I-10) - 0.750 M W OF SR 281, SANTA ROSA CO	E      28000E	W      29000E	57000 S	9.0	54.2F	13.0P
2003		SR 8 (I-10) - 0.900 MILE W OF CR 191 OVERPASS	E      21000	W      20000	41000 C	9.0	54.2F	20.7A
2005		SR 8 (I-10) - 1.000 M E OF CR 89 OVERPASS	E      17000	W      17500	34500 C	9.0	54.2F	22.1A
2007		SR 8 (I-10) - 0.800 M E OF SR87 OVERPASS	E      13500E	W      13500E	27000 F	9.5	54.2F	24.6P
2008		SR 8 (I-10) - 0.550 M W OF CR89 OVERPASS	E      20000	W      19000	39000 C	9.0	54.2F	21.1A
2603		I-10 - WB ON RAMP FROM SR 281(AVALON BLVD)		0E      0E	11000 F	9.0	99.9W	12.0F
2604		I-10 - WB OFF RAMP TO SR 281(AVALON BLVD)		0E      0E	1800 F	9.0	99.9W	12.0F
2605		I-10 - EB OFF RAMP TO SR 281(AVALON BLVD)		0E      0E	11000 F	9.0	99.9W	12.0F
2606		I-10 - EB ON RAMP FROM SR 281 (AVALON BLVD)		0E      0E	2000 F	9.0	99.9W	12.0F
2607		I-10 - WB ON RAMP FROM CR 191	W      2900		0      2900 C	9.0	99.9W	8.6F
2608		I-10 - EB OFF RAMP TO CR 191	E      3100		0      3100 C	9.0	99.9W	8.6F
2609		I-10 - WB OFF RAMP TO CR 191	W      2000		0      2000 C	9.0	99.9W	8.6F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;  
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION  
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 58 SANTA ROSA

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
2610		I-10 - EB ON RAMP FROM CR 191	E	1900	0	1900 C	9.0	99.9W 8.6F
2612		I-10 - WB ON RAMP FROM SR 87	W	5000	0	5000 C	9.0	99.9W 12.2F
2613		I-10 - EB OFF RAMP TO SR 87	E	3900	0	3900 C	9.0	99.9W 12.2F
2614		I-10 - EB ON RAMP FROM SR 87	E	2000	0	2000 C	9.0	99.9W 12.2F
2615		I-10 - WB OFF RAMP TO SR 87	W	2100	0	2100 C	9.0	99.9W 12.2F
2635		I-10 - WB ON RAMP FROM CR 89	W	2000	0	2000 C	9.0	99.9W 8.6F
2636		I-10 - EB OFF RAMP TO CR 89	E	2100	0	2100 C	9.0	99.9W 8.6F
2637		I-10 - WB OFF RAMP TO CR 89	W	350	0	350 C	9.0	99.9W 8.6F
2638		I-10 - EB ON RAMP FROM CR 89	E	200	0	200 C	9.0	99.9W 8.6F
5001		PARK AVE - 0.25 M E OF SR 89 (DOGWOOD DR)	E	2500	W 2600	5100 C	9.0	56.0F 2.9A
5002		CR191 - BETWEEN ALABAMA ST & BROAD ST	N	0	S 0	4500 C	9.0	56.0F 8.6F
5003		CR191 (MUNSON HWY) - 325' E OF SR 87	N	0	S 0	3400 C	9.0	56.0F 8.6F
5004		SR87 - 230' N OF CR191	N	8000	S 8100	16100 C	9.0	56.0F 8.6F
5005		SANDERS ST - 300' E OF SR 89 (DOGWOOD DR)	E	650	W 550	1200 C	9.0	56.0F 2.8A
5006		SR87 (STEWART ST) - 900' N OF SR 10 (US90)	N	7600	S 8100	15700 C	9.0	56.0F 8.6F
5007		CR 191 (BROAD ST) - 280' S OF CR 191 (MUNSON HWY)	N	0	S 0	1800 C	9.0	56.0F 8.6F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;  
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF



FLORIDA DEPARTMENT OF TRANSPORTATION  
2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 58      SANTA ROSA

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
5008		CR 191 (WILLING ST) - 100' N OF SR 10 (US90)	N	0	S	0	8300 C	9.0	56.0F	8.6F
5010		SR 10 (US90) - 150' W OF CR 191 (WILLING ST)	E	0	W	0	15500 C	9.0	56.0F	8.7F
5011		SR 10 (US90) - 250' E OF SR 87 (STEWART ST)	E	10000	W	11500	21500 C	9.0	56.0F	8.7F
5014		CR 191 (CANAL ST) - 300' S OF SR 10 (US90)	N	0	S	0	7200 C	9.0	56.0F	8.6F
5015		CR191 (MAGNOLIA ST) - 200' W OF SR 87	N	1400	S	1500	2900 C	9.0	56.0F	7.1A
5016		SR 89 (DOGWOOD DR) - 0.128 M S OF CR191 (MAGNOLI	N	8300	S	8700	17000 C	9.0	56.0F	4.5F
5017		SR 89 (DOGWOOD DR) - 430' N OF SR 10 (US90)	N	10500	S	10000	20500 C	9.0	56.0F	4.5F
5018		SR10 (US90) - 650' E OF SR 89 (DOGWOOD DR)	E	12500	W	13500	26000 C	9.0	56.0F	4.5F
5019		BERRYHILL ST - 800' W OF SR 87 (STEWART ST)	E	3500	W	3000	6500 C	9.0	56.0F	3.6A
5020		CR 191 (NORTH ST) - 230' E OF SR 87	N	0	S	0	1900 C	9.0	56.0F	8.6F
5021		CR 191 (ALABAMA ST) - 200' N OF BERRYHILL ST	N	0	S	0	3200 C	9.0	56.0F	8.6F
5022		CR 191 (BERRYHILL ST) - BETWEEN CANAL ST & ALABA	N	0	S	0	8900 C	9.0	56.0F	8.6F
5023		CR 184A (BERRYHILL RD) - 0.137 M W OF SR 89	E	0	W	0	10500 C	9.0	56.0F	8.6F
5024		CR191A (MAIN ST) - 250' W OF CR191 (FORSYTH ST)	N	1100	S	1000	2100 C	9.0	56.0F	5.0A
5030		CR-184A (BERRYHILL RD) - 0.75 M E OF CHUM HWY	E	0	W	0	10000 C	9.0	56.0F	8.6F
5701		PENSACOLA BCH BLVD (NB LEG TO WB 98) 300' NE OF	N	9900		0	9900 C	9.0	99.9W	3.7F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;  
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION  
2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 58      SANTA ROSA

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
5901		DA LISA RD - 200' W OF CR-191/GARCON POINT RD	E            0	W            0	3600 C	9.0	56.0F	8.6F
5902		COMMERCE RD - 300' W OF BETTIAN AVE	E            1600	W            1800	3400 C	9.0	56.0F	12.6A
5903		GALT CITY RD - 750' S OF OLD BAGDAD HWY	E            2200	W            2500	4700 C	9.0	56.0F	8.9A
7701		RAMP FROM EB US 98 TO SB BOB SIKES BRIDGE	E            9600	0	9600 C	9.0	99.9W	4.6F
7702		RAMP FROM WB US 98 TO SB BOB SIKES BRIDGE	W            2800	0	2800 C	9.0	99.9W	12.2F
7703		RAMP FROM NB BOB SIKES BRIDGE TO EB US 98	E            2800	0	2800 C	9.0	99.9W	3.7F
7704		RAMP FROM WB US 98 TO NB SR 87	N            7700	0	7700 C	9.0	99.9W	4.6F
7705		RAMP FROM SB SR 87 TO WB US 98	S            3900	0	3900 C	9.0	99.9W	4.6F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;  
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF